

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	"594548"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/02 12:40
L2	6	"5914548"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/02 12:40
L5	10572	324/207.2,207.11,207.15,207.16,207.17, 207.18,207.19,207.21,207.22,207.23,207. 25,173,174,176,179.ccls. 33/1PT,1N.ccls. 384/448.ccls. 310/68B,168.ccls. 318/661. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/02 13:02
L6	152	L5 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/02 13:02
S1	1439	INOUE-MASAHIRO.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/16 20:05
S2	22	S1 and rotor and stator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/02 13:02
S3	2	("5914548").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/17 20:23

EAST Search History

S4	10550	324/207.2,207.11,207.15,207.16,207.17,207.18,207.19,207.21,207.22,207.23,207.25,173,174,176,179.ccls. 33/1PT,1N.ccls. 384/448.ccls. 310/68B,168.ccls. 318/661.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/17 20:23
S5	3427	S4 and (bearing roll\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/17 18:51
S6	551	S5 and (excit\$6 driv\$3) near5 (coil winding) and (detect\$3 receiv\$3 sensor output) near5 (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/17 18:52
S7	376	S6 and (pole teeth tooth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/16 21:14
S8	205	S5 and (variable near3 reluctance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/16 21:59
S9	33	"3,716,788"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/16 21:59
S10	64963	(bearing roll\$3) and rotor and stator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/17 18:51

EAST Search History

S12	4034	S10 and (excit\$6 driv\$3) near5 (coil winding) and (detect\$3 receiv\$3 sensor output) near5 (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/17 18:54
S13	3035	S12 and (teeth pole)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/17 18:57
S14	10550	324/207.2,207.11,207.15,207.16,207.17,207.18,207.19,207.21,207.22,207.23,207.25,173,174,176,179.ccls. 33/1PT,1N.ccls. 384/448.ccls. 310/68B,168.ccls. 318/661.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/17 20:24
S15	75	S14 and (bearing and hub and (excit\$6 driv\$3) near5 (coil winding) and (detect\$3 receiv\$3 sensor output) near5 (coil winding))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/17 20:26
S16	14	S15 and rotor same flat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/17 20:24
S17	61	S15 not S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/17 20:26
S18	16	("5231391").URPN.	USPAT	OR	ON	2006/09/17 20:33